



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XX.

[New generic, specific and subspecific names are printed in **heavy-faced type**.]

- ACANTHIS** *linaria*, 236.
 hornemanui exilipes, 282.
Accipiter *atricapillus*, 53, 212.
 atricapillus striatulus, 183.
 cooperi, 183, 205.
 velox rufilatus, 183, 364.
Acredula, 198.
Acrocephalus *familiaris*, 384, 390.
Actitis *macularia*, 33, 281.
Actodromas, 335.
 acuminata, 336.
 bairdii, 336.
 damacensis, 336.
 fuscicollis, 336.
 maculata, 336.
 minutilla, 336.
Ægialitis *meloda*, 22, 305, 364.
 meloda circumcincta, 364.
 semipalmata, 22.
 vocifera, 204, 263, 281.
 wilsonia, 22.
Æpyornis, 323.
Æsalon, 339.
Æstrelata *hypoleuca*, 386.
Agelaius *chrysopterus*, 12.
 gubernator californicus, 186.
 phœniceus, 206.
 phœniceus neutralis, 186.
 phœniceus richmondi, 76,
 365.
 tricolor, 186.
Agropsa, 451.
Agropsar, 451.
Ajaia *ajaja*, 22.
Albatross, Laysan, 385.
Alca *torda*, 51.
 pygmæa, 359.
Alle alle, 51, 209.
Allen, Francis H., the Blue-gray
 Gnatcatcher in Massachusetts,
 69; vernacular names of birds,
 236.
Allen, J. A., the A. O. U. Check-
 list—its history and its future,
 1-9; vernacular names of birds,
 70-73; note on *Psittacula mo-*
 desta Cabanis, 213; note on
 Sylvia cærulea Wilson, 216-
 218; 'some suggestions,' 234;
 the California Meeting of the
 American Ornithologist's Union,
 299-302.
Aluco, 360.
Aluconidæ, 360.
Amazilia *aliciæ*, 290.
American Museum of Natural His-
tory, notice of its 'Bird Rock
 Group,' and 'Shore Bird Group,'
 246.
American Ornithologists' Union,
 Twentieth Congress of, 59-63;
 notice of a proposed meeting to
 be held in California, 245;
 report of the California meeting,
 299-302; Twelfth Supplement to
 the Check-List of North Amer-
 ican Birds, 331-368; Twenty-
 first Congress, 457.
Ammodramus, 350.
 australis, 362.
 bimaculatus, 349.
 halophilus, 79, 348.
 henslowi, 232.
 maritimus, 361.
 maritimus macgillivraii, 361.
 rostratus guttatus, 79, 365.
 rostratus halophilus, 365.
 samuelis, 296, 351.
 sandwichensis, 283.
 savannarum, 13, 178.
 savannarum passerinus, 264,
 362.
Ampelis *cedrorum*, 283.
 garrulus, 283.
Amphispiza *belli nevadensis*, 207,
 366.
 nevadensis, 366.
Anas *acuta*, 251.
 boschas, 204, 209, 278, 303.
 laysanensis, 384, 396.
 obscura rubripes, 226.
Ancylocheilus, 337.
Anhinga, 323.
Anous *stolidus*, 385.

- Anser albifrons gambeli*, 52.
 Anthony, A. W., migration of
 Richardson's Grouse, 24-27.
Antrostomus vociferus, 23, 264.
Ant-shrike, Barred, 291.
Aphelocoma sieberii couchii, 345.
Aquila chrysaetos, 67, 183, 439.
Aramus giganteus, 22, 169, 175.
Archæopteryx, 323.
Archibuteo lagopus sanctijohannis,
 269.
Ardea cærulea, 334.
 canadensis, 251.
 candidissima, 333.
 egretta, 333.
 garzetta, 333.
 herodias, 332.
 herodias wardi, 332.
 javanica, 334.
 ludoviciana, 334.
 occidentalis, 22.
 rufa, 333.
 rufescens, 333.
 violacea, 335.
 virescens, 174, 334.
 virescens anthonyi, 334.
 virescens frazari, 334.
 wardi, 332.
Ardetta exilis, 22, 263.
Arenaria interpres, 210.
 melanocephala, 33.
 morinella, 22.
Arguata, 451.
Arquata, 451.
Arquatella, 335.
 couesi, 335.
 maritima, 335.
 ptilocnemis, 335.
Asio, 273.
 accipitrinus, 212.
 otus, 274.
 virginianus, 275.
 virginianus pacificus, 275.
 virginianus pallescens, 275.
 virginianus saturatus, 275.
 virginianus subarcticus, 275.
Astragalinus psaltria, 188.
 psaltria arizonæ, 79, 347.
 tristis, 206.
Asturaetos, 450.
Asyndesmus, 341.
 torquatus, 341.
 Atlantic Slope Naturalist, notice
 of, 328.
 Audubon, John James, letters from
 to Edward Harris, 378-383.
 Audubon Societies, third annual
 conference of, 99; notice of 'Edu-
 cational Leaflets' issued by the
 National Committee of, 248.
 Auk, Great, 83.
 Razor-billed, 51.
 Auklet, Cassin's, 30.
 Autruchon, 450.
Aythya affinis, 22, 64, 278.
 collaris, 22, 279.
 marila, 64, 278.
 marila nearctica, 165.
 vallisneria, 278.
BÆOLOPHUS, 308, 357.
 atricristatus, 308, 358.
 bicolor, 308, 358.
 bicolor texensis, 308, 358.
 inornatus, 308, 358.
 inornatus cineraceus, 308,
 358.
 inornatus griseus, 308, 358.
 wollweberi, 308, 358.
 Bailey, Florence Merriam, review
 of her 'Handbook of Birds of the
 Western United States,' 76-78.
 Baily, William L., see Dutcher,
 William.
 Baldpate, 378.
 Bangs, Outram, notice of his papers
 on new American birds, 320;
 notice of his Revised List of
 the Birds of the Liu Kiu Islands,
 320.
 Barlow, Chester, obituary notice
 of, 92.
 Barrett-Hamilton, G. E. H., notice
 of his paper 'On the Position
 occupied by the Legs of Birds
 during Flight,' 321.
Bartramia longicauda, 65, 281.
Basileuterus, 75.
 culicivorus flavescens, 75.
Bellona exilis, 23.
 Bent, A. C., Black Vulture at Taun-
 ton, Mass., 67.
 Berniera, 391.
 Bignell, Effie, notice of her 'My
 Woodland Intimates,' 316.
 Bird, Frigate, 285, 386.
 Miller, 384, 390, 392.
 Rice, 170.
 Red-tailed Tropic, 385.
 Bird-Lore, review of Volume IV,
 222-225.
 Bird of Washington, 382.
 Bittern, American, 280.
 Least, 263.

- Bishop, L. B., see Sanford, L. C.
Blacicus blancoi, 11, 194.
 Blackbird, Bicolored, 186.
 Brewer's, 46, 186, 206.
 Red-winged, 46, 206.
 San Diego Red-winged, 186.
 Tri-colored, 186.
 Yellow-headed, 46, 186, 282.
 Yellow-shouldered, 12, 206.
 Blackbirds, 255-257.
 Blatchley, W. S., notice of his 'A Nature Wooing at Ormond by the Sea,' 83.
 Bluebird, 70, 261.
 Mountain, 103, 209.
 Bob-white, 161-164, 252, 263.
 Bolborhynchus, 311.
 Bonasa umbellus togata, 281.
 umbellus umbelloides, 281.
 Bonhote, J. Lewis, bird migration at some of the Bahama Light-houses, 169-179; notice of his 'Field Notes on Some Bahama Birds,' 230; notice of his 'On a Collection of Birds from the Northern Islands of the Bahama Group,' 447.
 Booby, White, 287.
 Laysan, 385.
 Botaurus lentiginosus, 22, 280.
 Bowdish, B. S., birds of Porto Rico, 10-23; food habits of some West Indian birds, 193-195.
 Brachyrhamphus craveri, 79.
 hypoleucus, 79.
 Braislin, William C., notes concerning certain birds of Long Island, N. Y., 50-53.
 Brant, 439.
 Branta bernicla, 439.
 canadensis, 280, 439.
 Breninger, Geo. F., Western Evening Grosbeaks nesting in Mexico, 68; Sabine's Gull at Monterey, California, 433; nests and eggs of *Cæligena clemenciæ*, 435.
 Brewster, William, breeding grounds of the Black and Socorro Petrels — a correction, 63; review of his 'Birds of the Cape Region of Lower California,' 78-80; further notes on the Philadelphia Vireo, with description of the nest and eggs, 369-376; an interesting Solitary Vireo (*Vireo solitarius*), 437.
 Brooks, Allan, notes on the birds of the Cariboo District, British Columbia, 277-284.
 Brown, Herbert, Arizona bird notes, 43-50.
 Bryan, William Alanson, a Turnstone taken in the Mid-Pacific, 210; the Short-eared Owl (*Asio accipitrinus*) taken far out at Sea, 212.
 Bubo, 273.
 virginianus arcticus, 364.
 virginianus elachistus, 79, 341.
 virginianus pallescens, 205.
 virginianus saturatus, 183.
 virginianus subarcticus, 364.
 Bubotus, 274.
 Bucco bicinctus, 289.
 Budyanthus, 450.
 Buffle-head, 279.
 Bunting, Henslow's, 232.
 Lazuli, 190, 207.
 Burroughs, John, notice of his 'John James Audubon,' 85.
 Burtis, Henry Mott, the Dovekie (*Alle alle*) on Long Island, N. Y., 209; Barn Owl on Long Island, N. Y., 212.
 Buteo albicaudatus, 288.
 borealis, 269.
 borealis calurus 79, 183, 205.
 borealis lucasanus, 79, 339.
 borealis socorroensis, 364.
 borealis umbrinus, 364.
 lineatus, 269.
 platypterus, 23.
 swainsoni, 44.
 Buteola, 360.
 Butorides, 334.
 virescens, 49, 334.
 virescens anthonyi, 334.
 virescens frazari, 334.
 Buzzard, White-tailed, 288.
 CACATUA gymnopsis, 460.
 Caica, 311.
 Calandrina, 450.
 Calidris arenaria, 22, 280.
 Calypte anna, 184.
 Canachites canadensis, 359.
 canadensis canace, 359.
 canadensis osgoodi, 359.
 franklini, 281.
 Canvas-back, 278.
 Caprimulgus, 360.
 Cardellina rubrifrons, 75.
 Cardinal, 54, 257.

- Cardinalis cardinalis*, 54.
 cardinalis cardinalis, 295.
Carpodacus cassinii, 187, 282.
 clementis, 33.
 mexicanus frontalis, 167, 187, 217.
 mexicanus obscurus, 217.
 purpureus, 264.
 purpureus californicus, 187.
Cassinia, see Delaware Valley Ornithological Club.
Catbird, 208, 261, 284.
Catharista urubu, 67, 287.
Cathartes aura, 53, 66, 183, 205.
Catherpes, 196.
 mexicanus, 196.
 mexicanus albifrons, 196.
 mexicanus conspersus, 198.
 mexicanus mexicanus, 196.
 mexicanus polioptilus, 197.
 mexicanus punctulatus, 197.
Centrocercus urophasianus, 204.
Centurus, 342.
 aurifrons, 342.
 carolinus, 342.
 nyeanus, 434.
 uropygalis, 43, 44, 342.
Ceophloeus pileatus, 282.
 pileatus abieticola, 184.
Cerchneis, 339.
 sparverius paulus, 364.
Certhia albifrons, 196.
 familiaris americana, 266.
 familiaris zelotes, 192.
 palustris, 356.
Certhidia, 402-404, 406, 410, 412-416.
 olivacea luteola, 411.
Ceryle alcyon, 170, 183.
Chamaea fasciata, 367.
 fasciata henshawi, 367.
 fasciata intermedia, 367.
Chamaepelia passerina, 177, 359.
Chamaethlypis, 75.
Chamberlain, Montague, see Nuttall, Thomas.
Chapman, Frank M., notice of his 'The Economic Value of Birds to the State,' 453.
Charadrius dominicus, 22, 281.
 fulvus, 174.
 montanus, 338.
 wilsonia, 338.
Charitonetta, 359.
 albeola, 279.
Chat, 266.
 Long-tailed, 208.
Cheiroxiphia lanceolata, 291.
Chen hyperborea, 22.
 hyperborea nivalis, 22.
Chewink, 216.
Chickadee, Barlow's, 359.
 Mountain, 192.
 Oregon, 208.
Chlorion, 450.
Chlorostilbon caribbæa, 290.
Chondestes grammacus, 440.
 grammacus strigatus, 207.
Chordeiles henryi, 206.
 minor, 23, 431.
 virginianus, 184, 264, 324, 434.
 virginianus chapmani, 432.
 virginianus minor, 432.
 virginianus vicinus, 431.
Chuck-bird, 258.
Cinclus cinclus, 291.
 mexicanus, 192.
Cinnamopteryx, 450.
Circus hudsonius, 205.
Cistothorus griseus, 356.
 marianæ, 357.
 palustris dissaëptus, 367.
 palustris paludicola, 356.
 palustris plesius, 208, 357.
Clangula clangula, 359.
 clangula americana, 279.
 glaucion, 359.
 islandica, 279.
Clark, Austin H., notes on the habits of certain Venezuelan birds, 285-293; the Black-winged Palm Tanager, 398-402.
Clark, J. H., a much mated House Sparrow, 306.
Clark, John N., the domestic affairs of Bob-white, 161-164; obituary notice of, 242.
Cleckley, M. T., nest and eggs of the Swainson's Warbler (*Helinaia swainsonii*), 438.
Coccothraustes, 346.
 ruber, 295.
 vespertinus, 213.
 vespertinus montanus, 68, 187.
Coccyzus americanus, 68, 177, 179.
 erythrophthalmus, 23.
Cocornis, 402-406, 410, 412-416.
 agassizi, 411.
Cœligena clemenciæ, 435.
Cœreba portoricensis, 17.
Colaptes auratus, 254, 282.
 cafer collaris, 184, 205, 282.
 chrysocaulus, 194.

- Colinus virginianus*, 263.
Columba corensis, 23.
 inornata, 23.
 leucocephala, 174.
 migratoria, 252.
Columbigallina passerina pallescens, 360.
 passerina terrestris, 359.
Colymbidæ, 363.
Colymbus auritus, 278.
 dominicensis, 21.
 holboëllii, 278.
Compsothlypis americana, 18.
 americana ramalinæ, 74, 367.
 nigrilora, 367.
 pitiayuma nigrilora, 367.
Condor, The, review of Volume IV, 319-322.
Contopus, 365.
 borealis, 184.
 richardsonii, 184.
 richardsoni saturatus, 365.
Conuropsis, 451.
Conurus æruginosus, 287.
 maugei (?), 20.
Cooley, R. A., Wood Ibis in Montana, 210.
Coot, American, 280.
Corax, 450.
Cormorant, Brandt's, 32.
 Farallone, 32.
Corvus americanus, 57, 269-271.
 corax sinuatus, 33.
 leucognathus, 11.
 ossifragus, 269-271.
Coturniculus, 349.
 bairdii, 349.
 savannarum bimaculatus, 349.
 savannarum floridanus, 350.
 savannarum passerinus, 349.
Coues's 'Key to North American Birds,' publishers' announcements respecting a new edition of, 97, 244.
Cowbird, Dwarf, 46.
Crane, 251.
 Sandhill, 280.
 Whooping, 252.
Creeper, Brown, 266.
 Sierra, 192.
Crossbill, American, 264.
 Sierra, 187.
Crow, American, 206, 255.
 Australian Piping, 444.
 Common, 57, 267-271.
 Clark, 220.
 Clarke, 221.
Crow, Fish, 269-271.
 West Indian, 11.
Cryptoglaux, 364.
Cuckoo, Yellow-billed, 68.
Curlew, Hudsonian, 33.
 Long-billed, 281.
Cyanocitta couchii, 345.
 stelleri borealis, 362.
 stelleri carbonacea, 220, 365.
 stelleri frontalis, 185.
Cyanospiza amœna, 190, 207.
 cyanea, 173.
Cyclorrhynchus, 359.
Cygnus, 359.
Cyphornis, 450.
Cypseloides niger, 282.
Cyrtonyx montezumæ, 338.
 montezumæ mearnsi, 338.
DAFILA acuta, 22, 164, 278, 303.
Daggett, F. S., see Grinnell, J.
Deane, Ruthven, additional records of the European Widgeon (*Mareca penelope*) in Indiana, 303; Richardson's Owl (*Nyctala tengmalmi richardsoni*) in Illinois, 305, 433.
Degen, Edward, notice of his memoir 'Ecdysis, as morphological evidence of the original tetradactyle feathering of the bird's fore-limb, based on the perennial moult in *Gymnorhina tibicen*,' 444-446.
Delaware Valley Ornithological Club, notice of its annual, 'Cassinia,' 231; notice of annual meeting of, 328.
Dendragapus obscurus fuliginosus, 182.
 obscurus richardsoni, 280.
Dendrocycna arborea, 22.
Dendroica, 217.
 adelaidæ, 18.
 æstiva, 208.
 æstiva morcomi, 191.
 auduboni, 191, 284.
 auduboni nigrifrons, 355.
 blackburniæ, 266.
 cærulea, 169, 171, 216, 367.
 cærulescens, 23, 171.
 carbonata, 74.
 coronata, 18, 171, 178.
 coronata hooveri, 191.
 discolor, 19, 171.
 dominica, 23, 171.
 evelynæ, 169.

- Dendroica kirtlandi*, 225, 459.
maculosa, 18, 284.
montana, 74, 361.
nigrifrons, 355.
occidentalis, 191.
palmarum, 18, 171, 178, 265.
petechia bartholemica, 18.
rara, 216, 266, 367.
striata, 23, 171, 177, 284.
tigrina, 18, 171, 218.
townsendi, 191.
virens, 265, 361.
Dendroplex longirostris, 291.
Dichromanassa, 333.
rufescens, 333.
Dickcissel, 440.
Diomedea immutabilis, 385.
nigripes, 385.
Dipper, American, 192.
Doleromyia pallida, 290.
Dolichonyx oryzivorus, 170, 179.
Doran, Edwin W., the vernacular names of birds, 38-42.
Dorichia evelynæ, 174.
Dove, Common Ring, 228.
Mourning, 182, 205, 248, 263, 281.
Red Ring, 228.
Dovekie, 51, 209.
Dresser, H. E., notice of his 'A Manual of Palearctic Birds,' 441.
Dryobates lucasanus, 365.
pubescens, 255.
pubescens gairdneri, 221.
pubescens homorus, 221, 282, 360.
pubescens leucurus, 221, 360.
pubescens nelsoni, 221.
pubescens oreæcus, 221.
pubescens turati, 221, 341.
scalaris lucasanus, 365.
villosus, 255, 264.
villosus hyloscopus, 183, 281.
villosus leucomelas, 281.
Dubois, Alphonse, notice of parts XI and XII of his 'Synopsis Avium,' 321.
Duck, American Scaup, 165.
Black, 64.
Canvas-back, 278.
Harlequin, 278.
Hybrid, 209.
Lesser Scaup, 278.
Pintail, 164, 251, 278.
Red-legged, 226.
Ring-necked, 279.
Duck, Ruddy, 280.
Scaup, 278.
Shoveller, 164, 278.
Durfee, Owen, Massachusetts breeding dates for *Bartramia longicauda*, 65; another record of *Thryothorus ludovicianus* in Massachusetts, 69.
Dutcher, William, the Barn Owl on Long Island, 67; Report of the A. O. U. Committee on the Protection of North American Birds, 101-159; the Educational Leaflets of the National Committee of Audubon Societies, 248.
Dutcher, William, and W. L. Baily, a contribution to the life history of the Herring Gull (*Larus argentatus*) in the United States, 417-431.
Dwight, Jonathan, Jr., capture of the Barn Owl (*Strix pratincola*) on Long Island, New York, 434; some new records for Nova Scotia, 439; formalin fails as an insecticide for *Dermestes*, 440.
EAGLE, Bald, 33, 264.
Golden, 67, 183, 439.
Eaton, Elon Howard, an epidemic of roup in the Canandaigua Crow Roost, 57-59; a hybrid Duck, 64.
Eclectus westermanni, 460.
Ectopistes migratorius, 66.
Edwards, Stanley W., Yellow-billed Cuckoo's egg in a Robin's nest, 68.
Egret, 119.
Egretta, 333.
candidissima, 333.
ruficollis, 334.
Emberiza bairdii,
hyemalis, 258.
rostrata, 348.
sandwichensis, 347.
Emerald, Atala's, 290.
Empidonax acadicus, 169, 174.
difficilis, 206, 360.
hammondi, 185.
insulicola, 360.
trailli, 185.
trailli alnorum, 68, 282.
virescens, 174.
Eremophila b. leucolæma, 343.
Ereunetes pusillus, 22, 280.
Ergaticus ruber, 75.
Eribates, 451.

- Erismatura jamaicensis*, 22, 204, 280.
Erolia, 337.
 ferruginea, 337.
 variegata, 337.
Eubates, 451.
Eulampis holosericeus, 23.
Euphonia sclateri, 14.
- FALCATOR, 450.
Falco anatum anatum, 33.
 columbarius, 23, 339.
 columbarius richardsonii, 67, 364.
 harrisi, 231.
 peregrinus anatum, 23.
 richardsonii, 364.
 rupicolus, 339.
 sparverius deserticolus, 183, 205, 339.
 sparverius phalæna, 339.
Faxon, Walter, a rare work on American ornithology, 236-241.
Felger, A. H., the Wood Ibis again in Colorado, 65; birds killed by hailstones, 70; hybrid duck—Mallard (*Anas boschas*) + Pintail (*Dafila acuta*), 303.
Finch, California Purple, 187.
 Cassin's Purple, 187, 282.
 House, 70, 167, 187.
 Laysan, 384, 387-389.
 Purple, 264.
 San Clemente House, 33.
Fisher, A. K., notice of his 'Partial List of the Birds of Keam Canyon, Arizona,' 318.
Fisher, Walter K., notice of his description of a new Tern from Necker Island, 230; notes on the birds peculiar to Laysan Island, Hawaiian Group, 384-396.
Fisher, William H., nesting of the Red-bellied Woodpecker in Harford County, Md., 305.
Fisher, William Hubbell, preserving equilibrium by the use of one wing, 167-168.
Flamingo, 119.
Fleming, J. H., recent records of the Wild Pigeon, 66; Turkey Vulture at Moose Factory, James Bay, 66; breeding of the Evening Grosbeak in captivity, 213-215.
- Flicker, 254, 282.
 Red-shafted, 184, 205, 282.
Florida, 334.
 cærulea, 334.
Flycatcher, Alder, 68, 282.
 Antillean Crested, 111.
 Ash-throated, 44.
 Hammond's, 185.
 Lower California, 342.
 Olive-sided, 184.
 Small-headed, 74.
 Taylor's 10.
 Traill's, 185.
 Western Yellow-bellied, 206.
Fratercula arctica, 50.
Fregata, 323.
 aquila, 285, 385.
Fringilla frontalis, 217.
 melodia, 350.
 meruloides, 221.
 passerina, 349.
 vespertina, 346.
 savanna, 347.
Fulica americana, 22, 204, 280.
Fulmarus glacialis minor, 331.
- GADWALL, 278.
Galeoscoptes carolinensis, 208, 284.
Gallinago delicata, 22, 280.
 major, 364.
 media, 364.
Gallinula, 167.
Gannet, Booby, 285.
Garzetta, 333.
 candidissima, 22.
Gavia imber, 278.
Geospiza crassirostris, 411.
 conirostris conirostris, 417.
 fortis, 407.
 fortis dubia, 417.
 fortis fortis, 407.
 fuliginosa, 407.
 fuliginosa acutirostris, 408.
 fuliginosa parvula, 408.
 habeli, 417.
 propinqua, 407.
 prothemelas, 417.
 scandens, 407.
 scandens fatigata, 409.
 strenua, 407.
Geothlypis agilis, 266.
 exigua, 75.
 flavida, 75.
 formosa, 439.
 incompta, 75.
 nelsoni microrhyncha, 75.
 philadelphia, 266.

- Geothlypis poliocephala**, 355.
poliocephala ralphii, 75, 355.
tolmiei, 191.
trichas, 23, 76, 172, 178.
trichas arizela, 363.
trichas occidentalis, 191, 208.
trichas scirpicola, 76, 363.
trichas sinuosa, 355.
Geotrygon chrysis, 339.
Gingala, 450.
Glaucidium gnoma, 183.
gnoma californicum, 281.
Gnatcatcher, Blue-gray, 69.
Golden-eye, American, 279.
Barrow's, 279.
Goldfinch, American, 206, 211.
Arizona, 222.
Arkansas, 188, 222.
Goose, Canada, 280, 439.
Emperor, 165.
Hawaiian, 167.
Hutchins's, 280.
White-fronted, 52.
Goshawk, American, 53.
Western, 183.
Grackle, Short-winged, 12.
Gracula quiscula, 256.
Grassquit, 14.
Bryant's, 14.
Grebe, Holboell's, 278.
Horned, 278.
Pied-billed, 49, 279, 439.
Western, 50, 114, 279.
Green, Nat. S., Ohio notes, 70, 309.
Grinnell, J., and F. S. Daggett, an ornithological visit to Los Caronados Islands, Lower California, 27-37.
Grosbeak, Black-headed, 190.
California Pine, 187.
Evening, 213.
Porto Rico, 13.
Western Evening, 68, 187.
Grouse, Canadian Ruffed, 281.
Columbian Sharp-tailed, 204, 281.
Franklin's, 24, 281.
Gray Ruffed, 24, 281.
Richardson's, 24, 281.
Ruffed, 252.
Sooty, 182.
Grus americana, 252.
mexicana, 280.
Guara alba, 22.
Guillemot, Black, 130.
Gull, Black-backed, 132, 303.
Gull, Black-headed, 148.
Bonaparte's, 278.
Heermann's, 30.
Herring, 128, 129, 130, 132, 133, 417-431.
Laughing, 127, 136, 148.
Little, 52.
Sabine's, 433.
Western, 30.
Gygis alba kittlitzii, 385.
Gymnorhina tibicen, 444.
HÆMATOPUS bachmani, 33, 36.
frazari, 29, 36.
niger, 36.
palliatu, 36.
Haliæetus leucocephalus, 264.
leucocephalus leucocephalus, 33.
Harelda hyemalis, 279.
Harvey, Gertrude Fay, the diary of a Cardinal's nest, 54-57.
Hawk, Black, 269.
Cooper's, 183, 205.
Desert Sparrow, 183, 205.
Duck, 33.
Marsh, 205.
Swainson's, 44.
Red-shouldered, 269.
Red-tailed, 269.
Western Red-tailed, 183.
Western Sharp-shinned, 183.
Hazel-hen, 252.
Heleodytes brunneicapillus, 361.
brunneicapillus anthonyi, 367.
brunneicapillus bryanti, 361.
brunneicapillus couesi, 367.
Helinaia swainsoni, 438.
Heller, Edmund, see Snodgrass, Robert Evans.
Helminthophila bachmani, 178.
celata, 283.
celata lutescens, 190.
cinnatiensis, 74.
lawrencei, 50, 53, 74.
leucobronchialis, 74.
peregrina, 283.
rubricapilla gutturalis, 190.
Helmitheros, 355.
Helmintherus, 355.
swainsoni, 169, 171.
Helodromas solitarius cinnamomeus, 281.
Hen, Marsh, 147, 148.
Mud, 167.
Sage, 204.

- Hendrickson, W. F., a winter record for the Chewink on Long Island, N. Y., 216.
- Henninger, W. F., Golden Eagle, in middle southern Ohio, 67; Barn Owl in northern Ohio, 67; notice of his 'Preliminary List of the Birds of Middle Southern Ohio,' 83.
- Henshaw, H. W., review of his 'Birds of the Hawaiian Islands,' 80; occurrence of the Emperor Goose in Hawaii, 164-167.
- Herodias, 333.
 egretta, 333.
- Heron, Black-crowned Night, 263.
 Great Blue, 116.
 Little Green, 49.
 Night, 167.
 Ward's, 332.
- Hesperiphona, 346.
 vespertina, 347.
 vespertina montana, 347.
- Hesperocichla nævia, 193.
- Heteractitis incanus, 33.
- Himantopus mexicanus, 22.
- Himatione freethi, 384, 387, 389.
- Hirundo bicolor, 354.
 erythrogaster, 23, 209, 221, 363.
 erythrogaster palmeri, 190, 363.
 erythrogaster unalaschken-sis, 221.
 pelasgia, 260.
 purpurea, 260.
 riparia, 260.
 rustica, 259.
 tyleri, 221.
- Histrionicus histrionicus, 279.
- Hittock, 254.
- Hoatzin, 228.
- Hoffmann, Ralph, nesting of the Goshawk in southern New Hampshire, 211.
- Holoquiscalus, 75.
- Holub, Emil, obituary notice of, 92.
- Honey-eater, Laysan, 384, 389.
- Horizopus, 365.
- Horton, Frances B., mortality of Purple Martins (*Progne purpurea*) at Brattleboro, Vt., 435.
- Howe, Reginald Heber, Jr., a correction, 210; a further note on the subspecies of *Passerculus sandwichensis* inhabiting Labrad-
dor, 215; late records for eastern Massachusetts, 218; Nighthawk migration in New Hampshire, 434.
- Howe, Reginald Heber, Jr., and Edward Sturtevant, notice of their revised list of the birds of Rhode Island, 446.
- Huhus, 450.
- Hummingbird, Alice's, 290.
 Allen's, 282.
 Anna, 184.
 Blue-throated, 435.
 Broad-tailed, 184.
 Buff-breasted, 290.
 Calliope, 282.
 Ruby-throated, 253.
 Rufous, 184.
- Huntington, Dwight W., notice of his 'Our Feathered Game,' 443.
- Hydranassa, 334.
 tricolor ruficollis, 22, 334.
- Hydrochelidon nigra surinamensis, 22, 440.
- Hylocichla alicæ, 266.
 aonalaschkæ sequoiensis, 192.
 aonalaschkæ slevini, 368.
 guttata nana, 79.
 guttata pallasii, 284.
 pallasii, 266.
 ustulata, 192, 368.
 ustulata ædica, 368.
 ustulata swainsoni, 284.
- Hylophilus, 447.
- IBIS, Wood, 65, 119, 210.
- Icteria virens, 266.
 virens longicauda, 208.
- Icterus audubonii, 75, 365.
 bullocki, 206.
 galbula, 440.
 icterus, 12, 75, 292.
 melanocephalus auduboni, 365.
 portoricensis, 12.
 xanthornus helioides, 292.
- Ionornis martinica, 22.
- Iridoprocne, 354.
 bicolor, 354.
- JACANA spinosa, 22.
- Jacobs, J. Warren, notice of his 'The Story of a Martin Colony,' 226.
- Jay, Blue, 308.
 Blue-fronted, 185.

- Jay, Couch's 345.
 Johnson, W. S., Great Black-backed Gull in Oneida County, N. Y., 303.
 Junco annectens, 366.
 caniceps, 366.
 dorsalis, 366.
 hyemalis, 265.
 hyemalis connectens, 366.
 hyemalis pinosus, 366.
 hyemalis thurberi, 189, 366.
 mearnsi, 366.
 oreganus pinosus, 366.
 oreganus shufeldti, 366.
 oreganus thurberi, 366.
 phæonotus dorsalis, 366.
 Junco, 265.
 Sierra, 189.
 KENOPIA, 450.
 Keyser, Leander, notice of his 'Birds of the Rockies,' 84.
 Killdeer, 263, 281.
 King, LeRoy, early record for the Piping Plover (*Egialitis meloda*) in Rhode Island, 305.
 Kingbird, 206.
 Arkansas, 206.
 Gray, 10, 194.
 Kingfisher, Belted, 171, 183, 205.
 Kinglet, Ruby-crowned, 192, 218.
 284.
 Western Golden-crowned, 192.
 Knight, Wilber C., notice of his 'The Birds of Wyoming,' 82; obituary of, 457.
 Knox, J. C., some suggestions, 234.
 Kopman, H. H., Louisiana migration notes, 309.
 Kumlien, Ludwig, obituary notice of, 93.
 LAGOPUS leucurus, 281.
 leucurus peninsularis, 364.
 Lampornis viridis, 23.
 Lanius ludovicianus, 361.
 ludovicianus anthonyi, 361.
 ludovicianus excubitorides, 208, 361.
 ludovicianus gambeli, 361.
 ludovicianus migrans, 367, 439.
 Lark, California Horned, 344.
 Desert Horned, 343.
 Dusky Horned, 185, 206, 282.
 Hoyt's Horned, 344.
 Island Horned, 345.
 Lark, Montezuma Horned, 344.
 Pallid Horned, 282, 343.
 Larus argentatus, 363, 417.
 crepidatus, 449.
 glaucescens, 165.
 heermanni, 30.
 marinus, 303.
 minutus, 50, 52.
 occidentalis, 30.
 philadelphia, 226, 278.
 vegæ, 363.
 Laysan Island, birds of, 384-402.
 Leptotila brachyptera, 364.
 fulviventris brachyptera, 364.
 Leucosticte tephrocotis, 187, 282.
 tephrocotis littoralis, 282.
 Leucosticte, Gray-crowned, 187, 282.
 Hepburn's, 282.
 Limosa fedoa, 22.
 Loomis, Leverett Mills, recognition of geographic variation in nomenclature, 294-299.
 Loon, 278.
 Lophodytes cucullatus, 278.
 Lophophanes, 308, 357.
 cristatus, 308.
 dichrous, 308.
 inornatus cineraceus, 358.
 inornatus griseus, 358.
 wollweberi, 358.
 Loxia cardinalis, 257.
 curvirostra bendirei, 187, 365.
 curvirostra minor, 264.
 frontalis, 218.
 Loxigilla portoricensis, 13.
 Luscineola mimica, 324.
 MACKAY, George H., Woodcock notes, 210.
 Macoun, John, notice of his 'Catalogue of Canadian Birds,' Part II, 441.
 Madarász, Julius, notice of his Birds of Hungary, 322.
 Magpie, American, 185, 206.
 Maize-thieves, 256, 257.
 Purple, 257.
 White-backed, 257.
 Mallard, 64, 210, 278, 303.
 Manacus candei, 324.
 Manakin, Lance-tailed, 291.
 Mareca americana, 22, 278.
 penelope, 210, 225, 303.
 Margarops fuscatus, 20, 177.
 Martin, Purple, 226, 260, 265, 435.
 Sand, 260, 435.
 West Indian, 15.

- Maxon, William R., notes on the -birds of Madison County, New York, with especial reference to Embury's recent list, 262-266.
- McGregor, Richard C., notice of 'A List of Birds collected in Norton Sound, Alaska, 319; notice of his papers on various Philippine birds, 319.
- McIlwraith Ornithological Club, 98.
- McIlwraith, Thomas, obituary notice of, 242.
- McKechnie, Fred. B., a late fall record for the Cape May Warbler (*Dendroica tigrina*) in eastern Massachusetts, 218.
- Meadowlark, 248.
 Southern, 345.
 Western, 186, 206.
- Mearns, Louis di Zerega, the Louisiana Water-thrush in Minnesota, 307.
- Megascops, 275.
 xantusi, 79, 341.
- Megaquiscalis, 451.
- Megaquiscalus, 75, 346, 451.
 major, 346.
 major macrourus, 346.
- Melanerpes angustifrons, 365.
 carolinus, 255, 264, 305.
 erythrocephalus, 70, 255.
 formicivorus angustifrons, 79, 365.
 portoricensis, 193.
 subelegans, 290.
 superciliaris, 194.
 torquatus, 184, 205.
- Melanopteryx, 450.
- Meleagris gallopavo fera, 338.
 gallopavo intermedia, 364.
 gallopavo merriami, 364.
 gallopavo silvestris, 339.
 silvestris, 338.
- Melospiza cinerea, 298, 350, 362.
 cinerea caurina, 352.
 cinerea clementæ, 37, 351.
 cinerea cooperi, 352, 363.
 cinerea fallax, 350.
 cinerea gouldi, 362.
 cinerea graminea, 351.
 cinerea heermanni, 350.
 cinerea insignis, 353.
 cinerea juddi, 352.
 cinerea kenaiensis, 353.
 cinerea melodia, 350.
 cinerea merrilli, 352, 362.
- Melospiza cinerea montana, 189, 350.
 cinerea morphna, 351.
 cinerea phæa, 366.
 cinerea pusillula, 352.
 cinerea rivularis, 351.
 cinerea rufina, 351.
 cinerea samuelis, 351, 362.
 coronatorum, 34, 37, 366.
 fasciata caurina, 353.
 fasciata clementæ, 351.
 fasciata cooperi, 352.
 fasciata graminea, 351.
 fasciata ingersolli, 362.
 fasciata juddi, 352.
 fasciata merrilli, 352.
 fasciata montana, 350.
 fasciata pusillula, 352.
 heermanni, 350.
 insignis, 353.
 lincolni, 189, 265.
 lincolni striata, 283.
 melodia, 350.
 melodia kenaiensis, 353.
 melodia montana, 207.
 melodia morphna, 351.
 melodia santæcrucis, 362.
 melodia sanaka, 362.
- Merganser americanus, 278.
 serrator, 165.
- Merganser, American, 278.
 Hooded, 278.
 Red-breasted, 165.
- Merlin, Richardson's 67.
- Merrill, James Cushing, notice of death of, 90.
- Merula migratoria propinqua, 193, 209.
- Micranous hawaiiensis, 385.
- Michigan Ornithological Club, organization of, 244.
- Micropalama himantopus, 22, 65, 440.
- Micropallas whitneyi, 43.
- Miller, W. D. W., breeding of the Alder Flycatcher (*Empidonax traillii alnorum*) near Plainfield, N. J., 68.
- Mimidæ, 367.
- Miminæ, 367.
- Mimocichla ardosiaacea, 20.
- Mimus caudatus, 295.
 polyglottos, 53, 295, 440.
 polyglottos leucopterus, 295.
 polyglottos orpheus, 19.
 polyglottos polyglottos, 295.
 polyglottos var. caudatus, 295.
- Miserythrus, 450.

- Mniotilta varia*, 17, 170, 178, 265.
Moa, eggs of, 330.
Mockingbird, 53, 260, 440.
 West Indian, 19.
Mogridge, Mrs. E. S., obituary notice of, 327.
Morris, Robert O., Springfield, Mass., bird notes, 439.
Motacilla cærulea, 217.
 cyanea, 449.
 sialis, 261.
Mudge, Geo. P., notice of his 'Myology of the Tongues of Parrots,' etc., 310.
Murres, Brünnich's, 51.
Muscicapa carolinensis, 261.
 minuta, 74.
Myadestes townsendi, 192.
Myiarchus antillarum, 11, 194.
 cinerascens, 44, 79.
 cinerascens pertinax, 342.
 pertinax, 342.
 crinitus residuus, 365.
 NANNOPTERUM, 323.
Nebraska Ornithologist's Union, notice of the Proceedings of the Third Annual Meeting, 317; notice of Fourth Annual Meeting, 329.
Nesospingus speculiferus, 14.
Nettion carolinensis, 209, 278.
 crecca, 209.
New York Zoölogical Society, Seventh Annual Report of, 330.
Nighthawk, 184, 248, 264, 434.
 Bahaman, 431-433.
 Western, 206.
Noddy, 385.
North, Alfred J., notice of his 'Nests and Eggs of Birds found Breeding in Australia and New Zealand,' 321.
Nucifraga columbiana, 185.
Numenius borealis, 22.
 hudsonicus, 22, 33.
 longirostris, 281.
Nutcracker, Clark's, 180, 185.
Nuthatch, Pygmy, 192.
 Red-breasted, 192.
 Rocky Mountain, 357.
 Saint Lucas, 357.
 Slender-billed, 192.
Nuttall, Thomas, notice of the "new revised and annotated edition" of his 'A Popular Handbook of the Birds of the United States and Canada,' 314.
Nuttallornis, 343.
 borealis, 343.
Nyctala, 364.
 acadica, 183.
 tengmalmi richardsoni, 281, 305, 433.
Nyctalops, 274.
 accipitrinus, 275.
 wilsonianus, 275.
Nyctanassa, 335.
 violacea, 335.
Nyctiardea violacea, 174.
Nycticorax nævius, 22, 448.
 nycticorax nævius, 263.
Oberholser, Harry C., a review of the genus *Catherpes*, 196-198; a synopsis of the genus *Psaltriparus*, 198-201; notice of his papers on new birds from Texas, 447.
Oceanites oceanicus, 65, 250.
Oceanodroma fuliginosa, 386.
 leucorhoa, 250.
 melania 30, 36.
 socorroensis, 31, 36.
Ochthodromus, 338.
 wilsonius, 338.
Oidemia deglandi, 280.
 perspicillata, 280.
Olor, 359.
 buccinator, 280.
 columbianus, 52.
Oporonis, 75.
 agilis, 172.
Oreortyx pictus plumiferus, 182.
Oreospiza chlorura, 190.
Oriole, Baltimore, 70, 440.
 Bullock's 206.
 Margaritan, 292.
 Porto Rico, 12.
Oriolus phœniceus, 257.
Oroscoptes montanus, 208.
Orpheus leucopterus, 295.
Ortholophus, 324.
Ortyx capistratus, 239.
Osprey, The, notice of Vol. I, new series, 451.
Otocoris alpestris, 236.
 alpestris actia, 344.
 alpestris ammophila, 362.
 alpestris aphrasta, 365.
 alpestris arctica, 343.
 alpestris arenicola, 343.
 alpestris chrysolaëa, 344.
 alpestris entymia, 362.
 alpestris hoyti, 344.
 alpestris insularis, 345.
 alpestris leucansiptila, 362.

- Otocoris alpestris leucolæma, 282,
343.
alpestris merrillii, 185, 206,
282.
alpestris occidentalis, 344.
- Otus, 273.
asio, 275.
asio aikeni, 275.
asio bendirei, 275.
asio cineraceus, 275.
asio floridanus, 275.
asio kennicottii, 275.
asio macfarlanei, 275.
asio maxwelliæ, 275.
asio mccalli, 275.
bakkamœna, 273.
flammeola, 275.
flammeola idahoensis, 275.
trichopsis, 275.
- Oven-bird, 19.
- Owl, American Long-eared, 205.
Barn, 67, 212, 434.
Barred, 340.
Burrowing, 205, 288.
California Pygmy, 281.
Dusky Horned, 183.
Dwarf Horned, 341.
Elf, 43.
Great Gray, 340.
Pygmy, 183.
Richardson's, 281, 305, 433.
Saw-whet, 183.
Short-eared, 212.
Western Horned, 205.
Xantus's Screech, 341.
- Oxyechus, 337.
vociferus, 337.
- Oxyporus, 450.
- Oyster-catcher, Black, 33.
Frazar's, 33.
- PACHYSYLVA, 447.
- Palæonornis, 450.
- Parrot, Amazonian, 289.
- Partridge, Painted, 182.
Virginia, 252.
- Parula americana, 171, 178.
- Parus atricapillus, 236.
atricapillus occidentalis, 208.
atricristatus, 358.
bicolor, 357, 358.
bicolor texensis, 358.
cristatus, 357.
gambeli, 192.
hudsonicus evura, 367.
hudsonicus littoralis, 367.
hudsonicus stoneyi, 367.
- Parus, inornatus, 358.
melanotis, 199.
minimus, 200.
- Passer domesticus, 306.
nivalis, 258.
- Passerculus, 215, 347.
alaudinus, 348.
beldingi, 348.
guttatus, 348.
princeps, 347.
rostratus, 348.
rostratus guttatus, 348.
rostratus var. guttatus, 348.
rostratus halophilus, 348.
rostratus sanctorum, 349.
sanctorum, 349.
sandwichensis, 215, 347.
sandwichensis alaudinus, 348.
sandwichensis γ . alaudinus,
348.
sandwichensis bryanti, 348.
sandwichensis savanna, 347.
- Passerella, 221.
iliaca, 218.
iliaca annectens, 221, 366.
iliaca fuliginosa, 366.
iliaca insularis, 366.
iliaca megarhynca, 189.
iliaca meruloides, 366.
iliaca townsendi, 366.
iliaca unalaschensis, 189.
rufina, 351.
- Paulomagus, 446.
- Pediæcetes phasianellus colum-
bianus, 204, 281.
- Pelican, American White, 48.
Brown, 121; 285.
California Brown, 32.
- Pelecanus, 323.
californicus, 32, 36, 363.
erythrorhynchus, 48.
fuscus, 285.
fuscus californicus, 363.
occidentalis, 363.
- Pelidna, 337.
alpina, 337.
alpina pacifica, 337.
pacifica, 337.
- Penelopides, 324.
- Pernopter, 451.
- Perenopter, 451.
- Perisoreus canadensis, 361.
canadensis fumifrons, 360.
canadensis nigricapillus, 361.
canadensis obscurus, 361.
obscurus, 361.
obscurus griseus, 361.
- Petrel, Black, 30, 63.

- Petrel, Bonin, 386.
 Leach's, 250.
 Socorro, 31, 63.
 Sooty, 386.
 Wilson's, 65, 250.
 Petrochelidon fulva, 15.
 lunifrons, 190, 207.
 lunifrons tachina, 447.
 Peucedramus, 75.
 Pewee, Western Wood, 184.
 Phæopharus, 450.
 Phaëthon, 323.
 æthereus, 22.
 rubicaudus, 385.
 Phalacrocorax, 323.
 auritus, 363.
 auritus albociliatus, 32.
 bicristatus, 359.
 dilophus, 363.
 mexicanus, 363.
 pelagicus, 359.
 pelagicus robustus, 359.
 penicillatus, 32, 36.
 resplendens, 359.
 urile, 359.
 vigua mexicanus, 363.
 Phalænoptilus nuttallii, 205.
 nuttallii californicus, 184.
 Phalarope, Northern, 280.
 Phalaropus lobatus, 280.
 Phalerinæ, 363.
 Phaleris, 359.
 Philacte canagica, 165-167.
 Philohela minor, 210.
 Phœbe, Say's, 206.
 Phœnicothraupis rubica nelsoni,
 75.
 Pica hudsonica, 185, 206.
 pica hudsonia, 345.
 pica hudsonica, 345.
 Picicorvus, 361.
 Picoides americanus, 282.
 arcticus, 282.
 arcticus tenuirostris, 365.
 tenuirostris, 184.
 Picus aurifrons, 342.
 carolinus, 342.
 harrisi, 231.
 pileatus, 253.
 torquatus, 341.
 turati, 221, 341.
 Pigeon, 66.
 Wild, 66, 252.
 Pinaroloxias inornata, 232.
 Pinicola californica, 187.
 Pintail, 164, 278, 303.
 Pipilo albigula, 366.
 Pipilo crissalis, 366.
 crissalis carolæ, 366.
 crissalis senicula, 366.
 erythrophthalmus, 216, 236,
 265.
 fuscus albigula, 366.
 fuscus carolæ, 367.
 fuscus crissalis, 366.
 fuscus senicula, 366.
 maculatus var. ? 207.
 maculatus atratus, 366.
 maculatus megalonyx, 366.
 Pipilo, Abert's, 48.
 Piranga ludoviciana, 190, 207.
 rubra, 169, 173.
 rubriceps, 75, 354.
 Pitangus taylori, 10, 194.
 Pitta angolensis, 324.
 pulith, 324.
 Piut, 254.
 Platycercus, 311.
 Plegadis autumnalis, 22.
 Plover, American Golden, 281.
 Black-bellied, 281.
 Piping, 305.
 Snowy, 433.
 Podosocys, 338.
 montanus, 338.
 Podicipidæ, 363.
 Podilymbus podiceps, 278, 439.
 Pœcilonetta bahamensis, 22.
 Polioptila, 217, 390.
 cærulea, 69.
 Pomarinus, 450.
 Poœcetes gramineus, 283.
 gramineus confinis, 207.
 Poor-will, 205.
 Porphyrio martinica, 169, 175, 179.
 Porzana carolina, 22, 175, 177, 280.
 coturniculus, 364.
 flaviventris, 22.
 jamaicensis, 22.
 Porzana, 388.
 palmeri, 384, 392.
 Procellaria pelagica, 250.
 puffinus, 250.
 Procelsterna saxatalis, 230.
 Progne dominicensis, 15.
 purpurea, 435.
 subis, 265, 363.
 subis floridana, 363.
 Psaltria plumbea, 200.
 Psaltriparus, 198.
 grindæ, 201, 368.
 melanotis iulus, 199.
 melanotis lloydi, 199.
 melanotis melanotis, 199.

- Psaltiriparus minimus*, 362.
 minimus californicus, 201, 362.
 minimus grindæ, 368.
 minimus minimus, 200.
 personatus, 199.
 plumbeus, 200.
 santaritæ, 199.
- Psaltrites*, 199.
 helviventris, 199.
- Psittacula modesta*, 213.
 modesta sclateri, 213.
 sclateri, 213.
- Ptarmigan*, 252.
 Rock, 281.
 White-tailed, 281.
- Ptiliogonatidæ*, 367.
Ptiliogonatinæ, 367.
Ptychoramphus aleuticus, 30.
Publications received, 89, 232, 324, 453.
Puffbird, Two-banded, 289.
Puffin, 50, 131.
Puffinus bulleri, 332.
 cuneatus, 332, 386.
 fuliginosus, 250, 363.
 griseus, 363.
 major, 250.
 nativitatis, 386.
 puffinus, 250.
- Pycraft, W. P., notice of his 'The Significance of the Condition of Young Birds at Birth,' 227.
- Pyrrhomitris cucullata*, 23.
Pyrrhuloxia, 311.
- QUERQUEDULA discors*, 22, 278.
Quiscalus brachypterus, 12.
 macrourus, 346.
 major, 346.
- RAIL, Clapper, 137.
 King, 304.
 Laysan, 384, 392-396.
 Sora, 280.
 Virginia, 280.
- Rallus ecaudatus*, 449.
 elegans, 304.
 levipes, 363.
 virginianus, 280.
- Raven, American, 33.
Ray, Milton S., a list of the land birds of Lake Valley, Central Sierra Nevada Mountains, California, 180-193.
Ready, George H., obituary notice of, 327.
- Reagh, Arthur Lincoln, the King Rail in Plymouth County, Mass., 304.
Red-bird, 257.
Redhead, 278.
Redpoll, Hoary, 282.
Redstart, American, 19, 208, 284, 309, 310.
Regulus calendula, 192, 218, 284.
 satrapa olivaceus, 192.
- Rhoads, S. N., Auduboniana, 377-383.
Rhodinocincla rosea eximea, 75.
- Richmond, Charles W., notice of paper by on birds from the Andaman and Nicobar Islands, 229; notice of paper by on birds from the coast and islands of Northwest Sumatra, 230;
Ridgway, Robert, review of his 'Birds of North and Middle America,' Part II, 73-76; *Lophophanes* vs. *Bæolophus*, 308.
- Riley, J. H., a new subspecies of Nighthawk from the Bahama Islands, 431-433; the Snowy Plover in the Bahamas, 433; the second known specimen of *Centurus nyanus*, 434.
- Riparia riparia*, 23, 436.
Robin, 248, 261.
 Western, 193, 209.
- Robin-redbreast, 261.
- SAGE, John H., Twentieth Congress of the American Ornithologists' Union, 59-63.
- Salpinctes obsoletus*, 33, 208.
 obsoletus pulverius, 367.
 pulverius, 367.
- Sanderling, 280.
- Sandpiper, Baird's, 280.
 Bartramian, 65, 281.
 Least, 280.
 Pectoral, 280.
 Saint Lucas, 354.
 Semipalmated, 280.
 Spotted, 33, 281.
 Stilt, 65, 440.
 Western Solitary, 281.
- Sanford, L. C., and L. B. Bishop and T. S. Van Dyke, notice of their 'The Water-Fowl Family,' 313.
- Sapsucker, Red-naped, 282.
 Williamson's, 184.
 Yellow-bellied, 264.

- Sayornis nigricans, 365.
 nigricans semiatra, 79, 365.
 saya, 206.
 Scolecophagus cyanocephalus, 186,
 206.
 Scotiaptex cinerea, 340.
 nebulosa, 340.
 nebulosa lapponica, 340.
 nebulosum, 340.
 Scotiothorus veræpaci, 324.
 Scops, 273.
 Scopus, 273.
 Scoter, Surf, 280.
 White-winged, 280.
 Scott, William Earl Dodge, notice
 of his 'The Story of a Bird
 Lover,' 315.
 Seaman, Ernest, balancing with
 one wing, 308.
 Seed-eater, Morelet's, 353.
 Seiurus aurocapillus, 19, 172.
 motacilla, 19, 172, 307.
 noveboracensis, 19, 172.
 noveboracensis notabilis, 284.
 Selasphorus alleni, 282.
 platycercus, 184.
 rufus, 184.
 Seth-Smith, David, notice of his
 'Parrakeets: being a Practical
 Handbook to those Species kept
 in Captivity,' 323.
 Setophaga, 75.
 miniata, 75.
 rutililla, 19, 173, 208, 284.
 Shearwater, Christmas Island, 386.
 Greater, 250.
 Manx, 250.
 New Zealand, 332.
 Sooty, 250.
 Wedge-tailed, 332, 386.
 Sherborn, Charles D., notice of
 his 'Index Animalium,' 448-450.
 Shoveller, 164, 278.
 Shrike, Migrant, 439.
 White-rumped, 208.
 Shufeldt, R. W., notice of his
 papers on the Steganopodes, and
 on the Classification of certain
 Groups of Birds, 323.
 Sialia arctica, 193, 209.
 sialis, 70.
 sialis grata, 368.
 Simons, Perry O., obituary notice
 of, 94.
 Simorhynchinae, 363.
 Siskin, Pine, 188.
 Sitta canadensis, 192.
 Sitta carolinensis aculeata, 192.
 carolinensis lagunæ, 357.
 carolinensis nelsoni, 357.
 pygmæa, 192.
 syriaca, 225.
 Sittidæ, 367.
 Sittinæ, 367.
 Slevin, Thomas Edwards, obituary
 notice of, 326.
 Smith, Horace G., Bell's Vireo
 (*Vireo bellii*) in Colorado, 438.
 Snipe, Wilson's, 280.
 Snodgrass, Robert E., a list of land
 birds from Central Washington,
 202-209; notes on the anatomy
 of *Geospiza*, *Cocornis*, and *Cer-
 thidea*, 402-417.
 Snodgrass, Robert Evans, and Ed-
 mund Heller, notice of their
 paper on 'The Birds of Clipper-
 ton and Cocos Islands,' 81.
 Snow, Francis H., notice of his 'A
 Catalogue of the Birds of Kan-
 sas' (fifth ed.), 317.
 Snowbird, 258.
 Solitaire, Townsend's, 192.
 Sora, 280.
 Sparrow, Alameda Song, 352.
 Brewer's, 189, 207.
 Coronados Song, 34.
 English, 70, 306, 309.
 Florida Grasshopper, 350.
 Forbush's, 283.
 Fox, 218.
 Grasshopper, 264.
 House, 306.
 Intermediate, 188.
 Kenai Song, 353.
 Lark, 440.
 Lincoln's, 189, 265.
 Monterey Fox, 221.
 Mountain Song, 189, 207.
 Sage, 207.
 San Diego, 352.
 Savanna, 283.
 Thick-billed, 189.
 Townsend, 189.
 Vesper, 283.
 Western Chipping, 188.
 Western Lark, 207.
 Western Tree, 283.
 Western Vesper, 207.
 West Indian Grasshopper,
 13.
 White-crowned, 188.
 White-throated, 265.
 Spatula clypeata, 22, 164, 278.

- Speotyto cunicularia becki*, 365.
 cunicularia hypogæa brachyptera, 288.
Spermestes cucullatus, 13.
Spermophila morelleti, 353.
Sphyrapicus thyroideus, 184.
 varius, 174, 255, 264.
 varius nuchalis, 282.
Spindalis portoricensis, 14.
Spinney, Herbert L., the Stilt Sandpiper in Knox County, Maine, 65.
Spinus pinus, 188.
Spiza americana, 440.
Spizella atrigularis, 447.
 breweri, 189, 207, 283.
 monticola ochracea, 283.
 socialis arizonæ, 188.
Spoonbill, Roseate, 119.
Sporæginthus melpoda, 13.
Sporophila morelleti, 353.
 morelleti sharpei, 353.
Squatarola helvetica, 22.
 squatarola, 281.
Stare, Red-winged, 256.
Stelgidopteryx serripennis, 265.
Stellula calliope, 282.
Sterna acuflava, 175.
 antillarum, 175.
 cantiaca, 175.
 dougalli, 21, 275.
 forsteri, 32.
 fuliginosa, 175, 179, 292, 385.
 lunata, 385.
 maxima, 21.
 regia, 219.
 sandvicensis acuflava, 21.
Stercorarius cephus, 359.
 longicaudus, 359.
 parasiticus, 359.
Stilt, Black-necked, 115.
 Hawaiian 167.
Stone, Witmer, a hybrid Duck, *Anas boschas* X *Nettion carolinensis*, 209; notes on winter Crow life in the Delaware Valley, 267-271; on the generic names of the North American Owls, 272-276; notice of his paper on a collection of birds from Sumatra, 318; notice of his paper on birds from southern New Mexico and western Texas, 447.
Streptilas interpres, 174.
Strigidae, 360.
Striker, Big, 148.
 Little, 148.
Stringops, 311.
Strix, 272, 360.
 aluco, 272.
 arctica, 274.
 asio, 272.
 bakkamœna, 273.
 bubo, 272, 274.
 flammea, 272.
 funera, 272.
 lapponica, 340.
 nebulosa, 340.
 nebulosa alleni, 340.
 nyctea, 272.
 otus, 272.
 passerina, 272.
 pratincola, 69, 212, 434.
 scandiaca, 272.
 scops, 272.
 stridula, 272.
 ulula, 272.
 varius, 340.
Strong, R. M., review of his paper on 'The Development of Color in the Definitive Feather,' 86-88; notice of paper by, on 'A Case of Abnormal Plumage,' 228.
Sturnella, 76.
 magna argutula, 345.
 magna hoopesi, 361.
 magna mexicana, 361.
 magna neglecta, 186, 206, 365.
 neglecta, 365.
Sturtevant, Edward, see Howe, Reginald Heber, Jr.
Sula, 323.
 cyanops, 385.
 piscator, 287, 385.
 sula, 285.
Surnia ulula, 364.
 ulula doliata, 364.
Swallow, Barn, 207, 259.
 Chimney, 259.
 Cliff, 190, 207.
 Cuban Cliff, 15.
 Ground, 260.
 House, 259.
 Northern Violet-green, 208.
 Rough-winged, 265.
 Sand, 436.
 Tree, 190.
 Violet-green, 190.
 Western Barn, 190.
Swan, Trumpeter, 280.
 Whistling, 52.
Swift, Black, 282.
 Chimney, 259.
Sylvia agilis, 383.

- Sylvia cærulea*, 216.
 carbonata, 74.
 montana, 74, 361.
 philadelphia, 383.
 rara, 216.
Sylvania mitrata, 169, 173.
Symphemia semipalmata, 22.
Syrnium nebulosum, 340.
 nebulosum helveolum, 340.
 varium, 340.
 varium alleni, 340.
 varium helveolum, 340.

TACHYCINETA *bicolor*, 23, 190.
 thalassina, 190.
 thalassina brachyptera, 79, 354.
 thalassina lepida, 208.
Tanager, Black-winged Palm, 398-402.
 Louisiana, 207.
 Western, 190.
Tanagra *palmarum*, 398.
 palmarum melanoptera, 398-402.
 palmarum palmarum, 398.
Tantalus *loculator*, 65, 210.
Tapera, 450.
Tartare, 391.
 æquinoctialis, 391.
 familiaris, 391.
 longirostris, 391.
 lusciniæ, 391.
 mendanæ, 391.
 pistor, 391.
 rehsei, 391.
 syrinx, 391.
Tatler, Wandering, 33.
Teal, Blue-winged, 278.
 Cinnamon, 278.
 Green-winged, 209, 278.
 Laysan, 384, 396.
Telespiza *cantans*, 384, 387.
Telmatoxytes, 356.
 marianæ, 357.
 palustris, 356.
 palustris griseus, 356.
 palustris paludicola, 356.
 palustris plesius, 357.
Tern, Arctic, 127, 131.
 Black, 134, 440.
 Common, 127, 131.
 Forster's, 32.
 Grayback, 385.
 Least, 149.
 Noddy, 385.
 Royal, 149, 219.

Tern, Sooty, 292, 385.
 White, 385.
Tetrao *lagopus*, 252.
Thamnophilus *doliatus*, 291.
Thrasher, Brown, 266.
 Sage, 208.
Thrush, Gray-cheeked, 266.
 Hermit, 266, 284.
 Olive-backed, 285.
 Russet-backed, 192.
 Sierra Hermit, 192.
 Varied, 193.
Thryothorus *guttulatus*, 196.
 ludovicianus, 69.
 mexicanus, 196.
 murarius, 196.
Tiaris *bicolor omissa*, 14.
 olivacea bryanti, 14.
Tinnunculus, 339.
 phalæna, 339.
Todus *multicolor*, 225.
Torrey, Bradford, Sand Swallows nesting in sawdust, 436.
Totanus *acuminatus*, 336.
 damacensis, 336.
 melanoleucus, 22, 281.
 melanoleucus frazari, 19, 364.
Towhee, 265.
 Green-tailed, 190.
Townsend, Charles W., a case of mistaken diagnosis, 218.
Toxostoma *rufum*, 266.
Trichas, 383.
Trichoglossus, 310.
Tringa *alpina*, 337.
 bairdi, 280.
 couesi, 314.
 ferruginea, 337.
 fuscicollis, 336.
 maculata, 204, 280, 336.
 maritima, 335.
 minuta, 335.
 minutilla, 280, 336.
 ptilocnemis, 314, 335.
Tringoides *macularius*, 174.
Trochilus *alexandri*, 220.
 colubris, 23, 253.
Trogodytes *ædon parkmani*, 192.
Trotter, Spencer, notes on the ornithological observations of Peter Kalm, 249-262.
Troupial, 12, 292.
Trowbridge, C. C., notice of his paper on 'The Relation of Wind to Bird Migration,' 228.
Turdus *fuscescens*, 170.
 migratorius, 261.

- Turdus minor cinereo-albus* non
 maculatus, 294.
 mustelinus, 170.
 polyglottos, 260, 295.
Turnstone, 167, 210.
 Black, 33.
Turtur humilis, 228.
 risorius, 228.
Tyrannus, 170.
 borealis, 343.
 dominicensis, 10, 194.
 griseus, 173.
 tyrannus, 23, 206.
 verticalis, 206.

URIA lomvia, 51.

VAN DYKE, T. S., see Sanford, L. C.
Vermont Bird Club, second annual meeting of, 244.
Vireo bellii, 438.
 bellii medius, 447.
 calidris, 177, 193, 194.
 calidris barbatula, 16.
 crassirostris, 173.
 flavifrons, 173, 265.
 gilvus swainsoni, 79, 190, 354.
 latimeri, 16, 194.
 olivaceus, 23, 370.
 philadelphicus, 369-376.
 solitarius, 265, 437.
 solitarius cassini, 190.
 swainsoni, 354.
Vireo, Bell's, 438.
 Black-whiskered, 16.
 Blue-headed, 265.
 Cassin, 190.
 Philadelphia, 369-376.
 Red-eyed, 372.
 Solitary, 372, 437.
 Warbling, 372.
 Western Warbling, 190, 354.
 Yellow-throated, 265, 437.
Vireosylva josephæ, 324.
Vulture, *Black*, 67, 287.
 Turkey, 53, 66, 183, 205.

WALTER, Herbert Eugene, and Alice Hall Walter, notice of their 'Wild Birds in City Parks', 316.
Warbler, *Adelaid*, 18.
 Alaska Myrtle, 191.
 Audubon's, 191, 284.
 Bay-breasted, 309.
 Black-and-white, 17, 195, 265.
 Blackburnian, 265.
 Warbler, *Black-poll*, 284.
 Black-throated Green, 266, 309, 310.
 Calaveras, 190.
 Canadian, 266.
 Cape May, 18, 218.
 Cerulean, 265.
 Connecticut, 266.
 Golden Pileolated, 356.
 Hermit, 191.
 Hooded, 266, 438.
 Kentucky, 439.
 Kirtland's, 225, 459.
 Lawrence's, 53.
 Lutescent, 190.
 Magnolia, 18, 284, 309, 310.
 Mourning, 266.
 Myrtle, 18, 195.
 Orange-crowned, 283.
 Palm, 18, 195, 266.
 Parula, 18, 195.
 Pileolated, 191.
 Porto Rico Yellow, 18.
 Prairie, 19, 195.
 Sonora Yellow, 47.
 Swainson's, 438.
 Tennessee, 283, 309, 310.
 Tolmie's, 191.
 Townsend's, 191.
 Western Yellow, 191.
 Yellow, 208.
Warbler, *The*, notice of initial number of, 244.
Waterhouse, Charles Owen, notice of his 'Index Zoologicus', 450.
Waters, Edward Stanley, obituary notice of, 243.
Water-Thrush, 19.
 Grinnell's, 284.
 Louisiana, 19, 307.
Waxwing, *Bohemian*, 283.
 Cedar, 283.
Wayne, Arthur T., Richardson's *Merlin* (*Falco columbarius richardsoni*) on the coast of South Carolina, 67.
Weed, Clarence M., notice of his 'A Partial Bibliography of the Economic Relations of North American Birds', 446.
Wheelock, Irene Grosvenor, notice of her 'Nestlings of Forest and Marsh', 231.
Whipperiwhip, 253.
Whipperiwill, 253.
Whip-poor-will, 253, 264.
Widgeon, 303.

- Widgeon, European, 210, 303.
 Willet, 147, 148.
 Wilson Bulletin, The, review of
 Volume IX, new series, 225.
Wilsonia canadensis, 266.
 microcephala, 74.
 mitrata, 266, 438.
 pusilla, 218.
 pusilla chryseola, 75, 356.
 pusilla pileolata, 191.
 Winkenwerder, H. A., notice of his
 'The Migration of Birds, with
 special reference to Nocturnal
 Flights,' 311.
 Woodcock, American, 210.
 Woodpecker, American Three-toed,
 282.
 Arctic Three-toed, 282.
 Batchelder's, 282.
 Black, 253.
 Bonaparte's, 290.
 Cabanis's, 183, 281.
 Gila, 44.
 Gold-winged, 254.
 Hairy, 264.
 Ivory-billed, 254.
 Lewis's, 184, 205.
 Northern Hairy, 281.
 Northern Pileated, 184.
 Pileated, 254, 282.
 Red-headed, 70, 255, 309.
 Red-bellied, 264, 305.
 Sierra Three-toed, 184.
 Southern White-headed, 222.
 Woodpecker, White-headed, 183.
 Willow, 341.
 Wren, Carolina, 69.
 Rock, 33, 208.
 Western Marsh, 208.

 XANTHOCEPHALUS *xanthocephalus*,
 186, 206, 282.
 Xema *sabinii*, 433.
 Xenopicus *albolarvatus*, 183.
 gravirostris, 222, 362.
 Xiphidiopicus *percussus*, 194.

 YELLOW-LEGS, Greater, 281.
 Yellow-throat, Rio Grande, 355.
 Salt Marsh, 355.
 Western, 191, 208.
 Young, Curtis Clay, obituary
 notice of, 94.

 ZAMELODIA *melanocephala*, 190,
 416.
 Zenaidura *carolinensis*, 324.
 macroura, 66, 177, 182, 205,
 263, 281.
 Zonotrichia *albicollis*, 265.
 fallax, 350.
 leucophrys, 188.
 leucophrys gambeli, 36, 188.
 leucophrys intermedia, 36.
 Zoölogical Quarterly, The, notice of,
 328.

ERRATA.

- Page 69, line 16, for *phryothorus* read *Thryothorus*.
 Page 81, line 1, for Gadou read Gadow.
 Page 103, for Plate III read Plate IV.¹
 Page 109, footnote, for 1902 read 1901.
 Page 110, for Plate IV read Plate III.¹
 Page 172, line 9 from bottom, for *Oporonis* read *Oporornis*.
 Page 213, line 7, for *Psitacula* and *Psitacula* read, *Psittacula* and
Psittacula.
 Page 435, line 11 from bottom, for *purpurea* read *subis*.

¹ See p. 246, footnote, for fuller explanation.